



WalliN House Entry

Single-pipe entry for the installation of drinking water pipes and cables



FIELDS OF APPLICATION

For installation in buildings with basements, for retrofitting supply pipes such as water, electricity and telecommunications

MATERIAL

Material type: PVC-U plasticizer-free polyvinyl chloride with special coating

PROPERTIES

Description: PVC-U pipe with screw connection for the pressure-tight insertion of supply pipes and cables, up to 2 bar. The special coating ensures an optimum connection to the concrete. Alternatively: There is also the option of creating the Flex cable insert with individual holes for the cable assignment

SIZE

ND 32; ND 40; Others on request



Building Construction



Civil Engineering



Water



HVAC



Energy



PRODUCT INFORMATION

PROPERTIES

- Versatile and space-saving compared to other house entries
- High strength

FIELDS OF APPLICATION

Secure house entry for supply lines, such as electricity or water, in buildings with basements

DESCRIPTION

- For pressure-tight insertion of supply lines and cables, up to 2 bar
- Easy installation without special tools

NOTES

Product consists of the following components:

Tube with special coating; large sealing cap and small sealing cap; rubber seal; support rubber; screw cap




CERTIFICATES

TEXT

- ZERTIFIKAT_ISO_9001_2015
- AEO-CERTIFICATE Authorized Economic Operator "AEOC (customs simplification)"



INSTALLATION




1
Set pipe with special coating in concrete

2
remove the sealing caps

3
guide the cable from the inside or outside through the single-gang house entry until the desired cable protrusion in the building is reached

4
slide the rubber seal onto the cable

5
screw the screw attachment hand-tight onto the condui



Drill holes individually customer request possibl

Tube with special coating;
large sealing cap and small sealing cap; rubber seal; support rubber; screw cap